according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DYPHOX Primer A09V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Binding primers, For use in industrial installations and professional treatment only.

Uses advised against

May not be used for the treatment of medical products, surgical instruments, food, touch displays, children's toys, baby or hygiene items that come into contact with the mucous membrane.

1.3. Details of the supplier of the safety data sheet

Company name: DYPHOX GmbH
Street: Am Biopark 11
Place: 93053 Regensburg
Telephone: +49 (0)941 788 367 0
E-mail (Contact person): cps@dyphox.com
Internet: www.dyphox.com

1.4. Emergency telephone NPIC emergency telephone number:

number: 01 8092166

Daily from 8 am - 10 pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

	DYPHOX Primer A09V	
Revision date: 06.06.2023		Page 2 of 10

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to as hazardous waste.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			95 - < 100 %
	200-661-7	603-117-00-0		
Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your physician.

SECTION 5: Firefighting measures

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 3 of 10

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

Hazardous combustion products: Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Large amounts of spillages:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Small amounts of spillages: Wipe up with absorbent material (eg. cloth, fleece). Do not put any product-impregnated cleaning rags into your trouser pockets.

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

- Remove contaminated, saturated clothing immediately.

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 4 of 10

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Primers

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-63-0	Isopropyl alcohol	200			TWA (8 h)	
		400	-		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
67-63-0	2-Propanol	Acetone	40 mg/L	_	End of shift at end of workweek

8.2. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



DYPHOX Primer A09V

Revision date: 06.06.2023 Page 5 of 10

During spraying wear suitable respiratory equipment.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Isopropanol

Test method

Print date: 15.05.2024

Melting point/freezing point: not determined

Boiling point or initial boiling point and 82 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined 15 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 9,5 (1:10 dilution) Viscosity / kinematic: not determined Water solubility: completely miscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water: not determined Vapour pressure: 41 hPa

(at 20 °C)

Density (at 20 °C): 0,78 g/cm³ ISO 2811

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

In use may form flammable/explosive vapour-air mixture.

Oxidizing properties not applicable

Other safety characteristics

Evaporation rate: not determined DIN 53170

Solvent content: 99 % Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 6 of 10

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Uncleaned empty containers may contain product gases which form explosive mixtures with air.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Do no expose to temperatures exceeding 50 °C.

10.5. Incompatible materials

Incompatible materials: Oxidizing agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Isopropanol: readily biodegradable

12.3. Bioaccumulative potential

The product has not been tested.

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 7 of 10

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented. The waste code has to be identified in agreement with the disposal company or the competent authority.

List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish

containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Classification code: F1
Special Provisions: 601

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



		Lasting.
	DYPHOX Primer A09V	
Revision date: 06.06.2023		Page 8 of 10
Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code:	1 L E2 2 33 D/E	
Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label:	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) 3 II 3	
Classification code: Special Provisions: Limited quantity: Excepted quantity:	F1 601 1 L E2	
Marine transport (IMDG)		
14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label:	UN 1219 ISOPROPANOL (ISOPROPYLALKOHOL) 3 II 3	
Special Provisions: Limited quantity: Excepted quantity: EmS:	1 L E2 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label:	UN 1219 ISOPROPANOL 3 II 3	
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	A180 1 L Y341 E2 353 5 L	

IATA-max. quantity - Cargo:

IATA-packing instructions - Cargo:

364 60 L

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 9 of 10

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 99,1 % (772,98 g/l) 2004/42/EC (VOC): 100 % (780 g/l)

Information according to 2012/18/EU

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

P5c FLAMMABLE LIQUIDS

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

according to Regulation (EC) No 1907/2006

DYPHOX GmbH 93053 Regensburg



Print date: 15.05.2024

DYPHOX Primer A09V

Revision date: 06.06.2023 Page 10 of 10

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Further Information

COPYRIGHT: This document is the sole property of DYPHOX GmbH, Am Biopark 11, 93053 Regensburg; All rights reserved. Copying and/or downloading of this information for the purpose of correct use of DYPHOX products is permitted provided that (1) the information is copied in its entirety without making any changes except with the prior written consent of DYPHOX GmbH, and (2) neither the copy nor the original is resold or otherwise distributed with the intent to profit from it. The information contained in this safety data sheet is based on our current knowledge and the current state of the art with respect to the product in question, as of the date indicated. Users' attention is also drawn to the following risks which may arise if a product is used for purposes other than those for which it is intended. This does not in any way relieve the user of the obligation to know and apply all the legislation applicable to his activity. We shall not be held liable for any damage (both material and immaterial, direct and indirect) resulting from the following causes, which are the consequence of use not in accordance with the instructions for use and the recommendations in the safety data sheet. In addition, the SDS is provided to convey health and safety information. If you are the official importer of this product, you are responsible for all legal requirements, including, but not limited to, product registration/notification, substance quantity tracking and possible substance registration. https://dyphox.com Tel. +49 (0)941 788 367-0, Email: cps@dyphox.com

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)